

Notice of Allowability

Application No.

10/723,883

Examiner

Milton Nelson, Jr.

Applicant(s)

FOURNIER, BERNARD

Art Unit

3636

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Applicant's amendment filed 7/6/04.
2. ☒ The allowed claim(s) is/are 8.
3. ☒ The drawings filed on 06 July 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Milton Nelson, Jr.
Primary Examiner
Art Unit: 3636

EXAMINER'S AMENDMENT

An examiner's amendment to correct obvious errors appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

1. In line 12 of claim 8, the second occurrence of "said" has been changed to -- the --.
2. In line 21 of claim 8, "surface" has been changed to -- wall --.

Claim 8 is allowed.

The following is an examiner's statement of reasons for allowance: The prior art of record fails to show a heating footstool including the hollow casing defining a front wall and a back wall, wherein the front wall and the back wall being respectively provided with an inlet aperture and an outlet aperture for allowing ambient air surrounding the hollow casing to flow through the inlet aperture into the hollow casing and then out through the outlet aperture so as to allow the ambient air to come into contact with the heating means and to allow the heated ambient air to warm the surroundings of the heating footstool, wherein the heating means including an electrical

Art Unit: 3636

heating component coupled to a conventional electrical cord, the electrical heating component being electrically coupled to an electrical relay, the relay allowing the electrical heating component to be selectively activated and turned off according to a predetermined time pattern, the component being further coupled to a foot switch, the foot switch being operable by the foot of an intended user and positioned adjacent the to wall, in combination with other specifically claimed features.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Milton Nelson, Jr. whose telephone number is 7033082117. The examiner can normally be reached on Monday-Friday 5:30-3:00.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3636

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Milton Nelson, Jr.
Primary Examiner
Art Unit 3636

mn
July 19, 2004